



# MATERIAL SAFETY DATA SHEET

HMIS Ratings	
Health	2
Flammability	2
Reactivity	0
Protection	X

## Chemical Product and Company Identification

**Manufacturer Information** Blue Ribbon Products, Inc.  
7687 Winton Drive, Bldg 130  
Indianapolis, IN 46268

**Phone** (317) 972-7970 \* (888) 274-2266

**Emergency Phone** CHEMTREC  
1-800-424-9300  
FOR INTERNATIONAL CALLS  
(703) 527-3887

**Date Modified** 04/20/05

**Product Identity** Fab Finish II VOC

**Product Use** Automotive Reconditioning Product

## Composition / Information on Ingredients

Ingredient Name	CAS Number	Wgt. %	Exposure Limits		Carcinogen
			PEL-OSHA	TLV-ACGIH	
MINERAL SPIRITS	8052-41-3	10-30	100 ppm TWA; 525 mg/m <sup>3</sup> TWA	100 ppm TWA	No
KAOLIN	66402-68-4	7-13			No
PETROLEUM DISTILLATES, HYDROTREATED LIGHT	64742-47-8	1-5			No
SILOXANES AND SILICONES, DI-ME, (((3-(2-AMINOETHYL)PR	67923-07-3	1-5			No
POLYSILOXANE COMPOUND	Mixture	1-5			No
Non-hazardous and other Ingredients below reportable Levels	Proprietary	61	N/AP	N/AP	N/AP

## Hazards Identification

### Potential Health Effects

**Skin** Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis.

**Eyes** This product may cause irritation to the eyes.

**Inhalation** This product may cause slight irritation to the respiratory system.

**Ingestion** Ingestion of this product may cause nausea, vomiting and diarrhea.

**Hazard Statements**  
COMBUSTIBLE

## First Aid Measures

### First Aid

<b>Skin</b>	For skin contact, wash immediately with soap and water. Immediately take off all contaminated clothing. Wash contaminated clothing before reuse. If irritation persists, get medical attention.
<b>Eyes</b>	Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists get medical attention.
<b>Inhalation</b>	If inhaled, immediately remove the affected person to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Seek medical attention.
<b>Ingestion</b>	If the material is swallowed, get immediate medical attention or advice – Do not induce vomiting.
<b>Notes to Physician</b>	This material, if aspirated into the lungs, may cause chemical pneumonitis; treat the affected person appropriately.

## Fire Fighting Measures

### Hazardous Combustion Products

Carbon monoxide, carbon dioxide and other hydrocarbon fragments.

### Extinguishing Media

Carbon dioxide. Alcohol foam.

### General Fire Hazards

This product is combustible at high temperatures. Vapors are heavier than air and may travel along the ground to some distant source of ignition and flash back.

### Fire Fighting Equipment/Instructions

Firefighters should wear full protective gear.

<b>Flash Point</b>	101° F lowest flashing component	TCC
<b>Flammability Limits in Air, Lower, % by Volume</b>		0.7%
<b>Flammability Limits in Air, Upper, % by Volume</b>		6%

## Accidental Release Measures

### Containment Procedures

Eliminate source of ignition. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

### Clean-Up Procedures

Absorb spill with inert material. Shovel material into appropriate container for disposal.

## Handling and Storage

### Handling Procedures

Keep this product from heat, sparks or open flames. Avoid prolonged or repeated skin contact with this material.

### Storage Procedures

Do not store, incinerate, or heat this material above 120 degrees Fahrenheit (48°C). Keep the container tightly closed. Do not freeze.

## Exposure Controls / Personal Protection

### Engineering Controls

Explosion proof exhaust ventilation should be used.

### Personal Protective Equipment

#### Eyes/Face

Wear chemical goggles.

#### Skin

Use impervious gloves. Use of impervious apron and boots are recommended.

#### Respiratory

If ventilation is not sufficient to effectively prevent buildup of vapor/mist/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided.

#### General

Use good hygiene practices when handling this material, including changing and laundering work clothes after use. Discard contaminated shoes and leather goods. Eye wash fountain and emergency showers are recommended.

## Physical & Chemical Properties

Specific Gravity	0.986
Solubility (H <sub>2</sub> O)	Insoluble
pH	8.5

## Chemical Stability & Reactivity Information

### Chemical Stability

This is a stable material.

### Hazardous Decomposition

Hazardous combustion products may include carbon monoxide, carbon dioxide and hydrocarbon fragments.

### Hazardous Polymerization

Will not occur.

### Incompatibility

Strong oxidizing agents (peroxides, chlorine, strong acids).

## Toxicological Information

### **Toxicological Information**

No data available for this product.

## **Ecological Information**

### **Ecological Information**

No data available for this product.

## **Disposal Considerations**

### **Disposal Instructions**

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

## **Transportation Information**

### **General**

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

## **Regulatory Information**

### **US Federal Regulations**

### **CERCLA/SARA – Section 313 – Emission Reporting**

## **Other Information**

### **Disclaimer**

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, MSDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

**Prepared By**                      Technical Department

**Issue Date**                      1/17/2008