



MATERIAL SAFETY DATA SHEET

HMIS Ratings	
Health	2
Flammability	2
Reactivity	0
Protection	X

Chemical Product and Company Identification

Manufacturer Information Blue Ribbon Products, Inc.
7687 Winton Drive, Bldg. 130
Indianapolis, IN 46268

Phone (317) 972-7970 * (888) 274-2266

Emergency Phone CHEMTREC
1-800-424-9300
FOR INTERNATIONAL CALLS
(703) 527-3887

Date Modified 4/20/05

Supersedes

Product Identity Micro Glaze 2000 II VOC

Product Use Automotive Reconditioning Product

Composition / Information on Ingredients

Ingredient Name	CAS Number	Wgt. %	PEL-OSHA	Exposure Limits		Carcinogen
				TLV-ACGIH		
NAPHITHA, PETROLEUM HYDROTREATED LIGHT AMORPHOUS SILICA	64742-89-8	10-30	300 ppm	300 ppm		No
	61790-53-2	7-13	6 mg/m3 TWA	10 mg/m3 TWA Inhalable fraction, Particulate matter Containing no Asbestos and < 1% crystalline silica; 3 mg/m3 TWA respirable Fraction, particulate Matter containing no Asbestos and < 1% crystalline silica		No
1,2,3-PROPANETRIOL	56-81-5	1-5	10 mg/m3 TWA Total dust; 5 Mg/m3 TWA Respirable fraction	10 mg/m3 TWA		No
BENTONITE CLAY	1302-78-9	0.1-1				No

Non-hazardous and other

Ingredients below reportable levels Proprietary 66.45 N/AP N/AP N/AP

Hazards Identification

Potential Health Effects

Skin Prolonged and/or repeated skin contact with this product may cause irritation/dermatitis.

Eyes This product may cause irritation to the eyes.

Inhalation This product may cause irritation to the respiratory system.

Ingestion Ingestion of this product may cause nausea, vomiting and diarrhea.

Hazard Statements

COMBUSTIBLE.

First Aid Measures

First Aid

Skin For skin contact, wash immediately with soap and water. Immediately take off all contaminated clothing. If irritation persists, get medical attention.

Eyes Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention or advice.

Inhalation Move person to non-contaminated air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Seek medical attention.

Ingestion If the material is swallowed, get immediate medical attention or advice – Do not induce vomiting.

Notes to Physician This material, if aspirated into the lungs, may cause chemical pneumonitis; treat the affected person appropriately.

Fire Fighting Measures

Hazardous Combustion Products

Carbon monoxide, carbon dioxide, various hydrocarbon fragments as well as thick smoke.

Extinguishing Media

Dry chemical, foam, carbon dioxide. Use water to cool fire exposed containers and to protect personnel.

General Fire Hazards

This product is combustible at high temperatures. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, or other sources if ignition.

Fire Fighting Equipment/Instructions

Wear full protective clothing, including helmet, self-contained positive pressure demand breathing apparatus, protective clothing and face mask.

Flash Point 55° F lowest flashing component TCC

Flammability Limits in Air, Lower, % by Volume 0.7%

Flammability Limits in Air, Upper, % by Volume 6%

Accidental Release Measures

Containment Procedures

Eliminate sources of ignition. Block any potential routes to water systems.

Clean-Up Procedures

Absorb spill with inert material. Shovel material into appropriate container for disposal.

Handling and Storage

Handling Procedures

Avoid breathing dusts from this material.

Storage Procedures

Keep the container tightly closed. Do not handle or store near an open flame, heat or other sources of ignition. Do not freeze.

Exposure Controls / Personal Protection

Personal Protective Equipment

Eyes/Face

Wear chemical goggles.

Skin

Use impervious gloves.

Respiratory

If ventilation is not sufficient to effectively prevent buildup of vapor/mist/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided.

General

Use good hygiene practices when handling this material, including changing and laundering work clothes after use. Discard contaminated shoes and leather goods.

Physical & Chemical Properties

Specific Gravity 0.979

Vapor Pressure <20

Vapor Density >1

Solubility (H2O) Soluble

pH 8.5

Chemical Stability & Reactivity Information

Chemical Stability

This is a stable material.

Hazardous Decomposition

Hazardous combustion products may include carbon monoxide, carbon dioxide and hydrocarbon fragments.

Hazardous Polymerization

Will not occur.

Incompatibility

Strong oxidizing agents (peroxides, chlorine, strong acids).

Toxicological Information**Toxicological Information**

No data available for this product.

Ecological Information**Ecological Information**

No data available for this product.

Disposal Considerations**Disposal Instructions**

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

Transportation Information**General**

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

Regulatory Information**Other Information****Disclaimer**

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, MSDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

Prepared By Technical Department

Issue Date 1/17/2008