



MATERIAL SAFETY DATA SHEET

HMIS Ratings	
Health	2
Flammability	1
Reactivity	0
Protection	B

Chemical Product and Company Identification

Manufacturer Information Blue Ribbon Products, Inc.
7687 Winton Drive, Bldg. 130
Indianapolis, IN 46268

Phone (317) 972-7970 * (888) 274-2266

Emergency Phone CHEMTREC
1-800-424-9300
FOR INTERNATIONAL CALLS
(703) 527-3887

Date Modified 10/01/04

Product Identity Micro Seal 2000

Product Use Automotive Reconditioning Product

Composition / Information on Ingredients

Ingredient Name	CAS Number	Wgt.%	Exposure Limits	
			TLV-ACGIH	HAZARD
ALIPHATIC HYDROCARBON	8052-41-3	5 – 15	100 ppm	Combustible
KEROSENE	8008-20-6	5 – 15	100 ppm	Combustible
DIMETHYLPOLYSILOXANE	63148-82-9	1 – 10	N/A	N/A
WATER	7732-18-5	65 – 75	N/A	N/A
CALCINED KAOLIN	66402-28-1	1 – 10	10 mg/m3	Irritant
CARNAUBA WAX	N/A	1 – 10	N/A	None

Hazards Identification

Acute Effects N/A

Swallowing May cause irritation of the mucous membranes

Inhalation May be irritating to the respiratory system

Skin Contact May cause skin irritation

Eye Contact May cause redness, tearing or blurring of vision

Chronic Effects N/A

Other Hazards N/A

Emergency First Aid Procedures

Swallowing	Drink two (2) glasses of water. DO NOT INDUCE VOMITING. Call a physician.
Inhalation	Move to fresh air
Skin Contact	Wash with soap and water. If irritation persists, seek medical physician.
Eye Contact	Wash with water for 15 minutes, lifting upper and lower lids occasionally. Call a physician.
Primary	Inhalation

Fire Fighting Measures

Extinguishing Media

Water, Fog, CO2 & Dry Chemical

General Fire Hazards

This product is combustible at high temperatures. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition.

Fire fighting Equipment/Instructions

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Flash Point	200 F TOC	LEL – N/A	UEL – N/A
--------------------	-----------	-----------	-----------

Accidental Release Measures

Containment Procedures

Remove sources of ignition. Block any potential routes to water systems.

Clean-Up Procedures

Absorb spill with inert material. Shovel material into appropriate container for disposal.

Handling and Storage

Storage Procedures

Do not handle or store near an open flame, heat or other sources of ignition. Keep the container tightly closed. Do not freeze.

Exposure Controls / Personal Protection

Respiratory Protection N/A

Ventilation Local Exhaust

Impervious Gloves Recommended

Other PPE Safety Glasses

Physical & Chemical Properties

Boiling Point	-212 F
Freeze Point	-32 F
Gravity	<1
Vapor Pressure	N/A
Vapor Density	N/A
Evaporation Rate	N/A
% Volatile	-80
Solubility	N/A

Chemical Stability & Reactivity Information

Chemical Stability

This is a stable material.

Conditions to Avoid

N/A

Materials to Avoid

Strong Oxidizers, Strong Acids

Hazardous Decom Prod

Oxides of carbon and other hazardous chemicals.

Hazardous Polymerization

Will not occur

Additional Conditions to Avoid

N/A

Toxicological Information

Toxicological Information

No data available for this product.

Ecological Information

Ecological Information

No data available for this product.

Disposal Considerations

Disposal Instructions

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

Transportation Information

DOT Ship Name Non D.O.T. Regulated – Flash Point 200° F

Regulatory Information

Other Information

Disclaimer

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Material Safety Data Sheet. However, MSDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. In addition, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

Prepared By Technical Department

Issue Date 1/17/2008