



MATERIAL SAFETY DATA SHEET

HMIS Ratings	
Health	2
Flammability	2
Reactivity	0
Protection	X

Company Identification

Manufacturer Information Blue Ribbon Products, Inc.
7687 Winton Drive, Bldg. 130
Indianapolis, IN 46268

Phone (317) 972-7970 * (888) 274-2266

Emergency Phone CHEMTREC
1-800-424-9300
FOR INTERNATIONAL CALLS
(703) 527-3887

Date Modified 4/22/05

Product Identification

Product Name: No. 22 Metal & Chrome Polish

Product Use: Polish Metal

Hazardous Ingredient Information

Chemical Name	CAS Number	%	EXPOSURE LIMITS		Carcinogen
			OSHA PEL	ACGIH TLV	
MINERAL SPIRITS	8052-41-3	7-13	100ppm	100 ppm	No
SILICA, CRYSTALLINE	14808-60-7	7-13	525 mg/m3 0.1 mg/m3 Respirable dust	0.05 mg/m3 respirable fraction	Yes
PETROLEUM DISTILLATES HYDROTREATED LIGHT KAOLIN	64742-47-8 66402-68-4	7-13 3-7			No No
ALUMINUM OXIDE (AL2O3)	1344-28-1	3-7	10mg/m3 Total dust; 5mg/m3 Resirable Fraction	10mg/m3 particulate matter containing no asbestos and < 1% crystalline Silica	No
1,2,3-PROPANETRIOL	56-81-5	1-5	10mg/m3 Total dust; 5 Mg/m3 resirable Fraction	10mg/m3	
AMMONIA	7664-41-7	1-5		25 ppm	No

Non-hazardous and other ingredients Proprietary
Below reportable levels

54

N/AP

N/AP

N/AP

Physical & Chemical Data

Specific Gravity	1.053
Solubility	Dispersible
pH	8.5

Control & Protective Measures

Gloves	The use of rubber gloves is recommended
Safety Glasses	The use of safety glasses is recommended
Respiratory	Not Applicable
Ventilation	Adequate

Health Hazard Data

Primary Route of Entry	Skin & Eye
Effects of Acute Exposure	Skin – Prolonged contact may cause drying and irritation. Eye – May produce mild irritation. Ingestion – Harmful or fatal if swallowed.
Effects of Chronic Exposure	Dizziness – Breathe fresh air until recovered.
Other Health Hazards(Carcinogenic, Mutagenic, Teratogenic)	None, based on ingredients safety data.

First Aid Procedures

Eye	Flush immediately with water for 15 minutes. Contact physician.
Skin	Flush with water for 15 minutes. Contact physician if irritation persists.
Inhalation:	Remove to fresh air.
Ingestion:	Contact physician immediately. Do not induce vomiting.

Storage, Spill and Disposal Information

Leak & Spill Procedure	Where possible, salvage product and use as intended or use absorbent material to soak up spills. CAUTION: Area will be slippery.
-----------------------------------	--

Storage Requirements

Keep container tightly closed. Keep out of reach of children.

Waste Disposal

Dispose of in accordance with local, state, and federal regulations.

Regulatory Information

Transportation Classification

U.S. D.O.T. Hazard Class Non-regulated.

Other Regulatory Information

US Federal Regulations

CERCLA/SARA – Section 313 – Emission Reporting
ALUMINUM OXIDE (AL₂O₃)
AMMONIA
KAOLIN

State Regulations

California – Proposition 65 – Carcinogens List
SILICA, CRYSTALLINE

Other Information

Disclaimer

The information contained within relates to the specific material designated and may not be valid for such material when used with other materials or in any process. This information was gathered from sources which are believed to be accurate as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to determine for himself the suitability for his own use.

Prepared By

Technical Department

Issue Date

1/17/2008